## Prova escrita de Representação de grupos 1, semestre 2020-2.

30 de abril de 2021.

Respostas não motivadas não serão consideradas.

The base field is always  $\mathbb{C}$ .

- (1) (1 point) Find all the group homomorphisms  $Q_8 \to \mathbb{C}^*$ , where  $Q_8$  is the quaternion group of order 8.
- (2) (2.5 points) Let  $\chi$  be an irreducible character of a finite group A and let  $\psi$  be an irreducible character of a finite group B.
  - (a) (1 point) Prove that the map

$$\eta = \eta(\chi, \psi) : A \times B \to \mathbb{C},$$

$$(a, b) \mapsto \chi(a)\psi(b)$$

is an irreducible character of  $A \times B$ .

(b) (1 point) Prove that if  $\chi_1, \chi_2$  are irreducible characters of A,  $\psi_1, \psi_2$  are irreducible characters of B and the pair  $(\chi_1, \psi_1)$  is distinct from the pair  $(\chi_2, \psi_2)$ , then

$$\eta(\chi_1,\psi_1) \neq \eta(\chi_2,\psi_2).$$

- (c) (0.5 points) Using a counting argument, prove that every irreducible character of  $A \times B$  is equal to  $\eta(\chi, \psi)$  for some  $\chi \in Irr(A)$  and some  $\psi \in Irr(B)$ .
- (3) (1 point) Using the previous item, compute the irreducible character degrees of  $A_4 \times A_4$ , where  $A_4$  is the alternating group of degree 4. [Attention: I am not asking for the whole character table, just the irreducible character degrees!]
- (4) (1.5 points) The symmetric group  $G = S_5$  has the following character table.

	1	10	20	30	24	15	20	
$S_5$	1	(12)	(123)	(1234)	(12345)	(12)(34)	(123)(45)	
$\chi_1$	1	1	1	1	1	1	1	
$\chi_2$	1	-1	1	-1	1	1	-1	
$\chi_3$	4	2	1	0	-1	0	-1	
$\chi_4$	4	-2	1	0	-1	0	1	
$\chi_5$	5	1	-1	-1	0	1	1	
$\chi_6$	5	-1	-1	1	0	1	-1	
$\chi_7$	6	0	0	0	1	-2	0	

Decompose the following class functions and determine whether they are characters or not.

$$f_1(x) = |\{g \in G : g^3 = x\}|.$$

$$f_4(x) = |\{g \in G : g^3 = x^3\}|.$$

(5) (1 point) Complete the following character table of the group G, where the top line contains the sizes of the conjugacy classes of the conjugacy class representatives  $x_1, \ldots, x_{10}$ .

	1	12	32	3	3	12	12	6	3	12
G	$x_1$	$x_2$	$x_3$	$x_4$	$x_5$	$x_6$	$x_7$	$x_8$	$x_9$	$x_{10}$
$\chi_1$	1	1	1	1	1	1	1	1	1	1
$\chi_2$	1	-1	1	1	1	-1	-1	1	1	-1
$\chi_3$	2	0	-1	2	2	0	0	2	2	0
$\chi_4$	3	-1	0	-1	3	1	-1	-1	-1	1
$\chi_5$	3	-1	0	3	-1	-1	1	-1	-1	1
$\chi_6$	3	1	0	-1	3	-1	1	-1	-1	-1
χ7	3	1	0	3	-1	1	-1	-1	-1	-1
$\chi_8$	3	-1	0	-1	-1	1	1	-1	3	-1
$\chi_9$										
$\chi_{10}$										

- (6) (1 point) Count the normal subgroups of the group in the previous item and compute their sizes.
- (7) (1 point) Let G be a finite group of even order and assume that there exists an irreducible G-module of dimension n = |G|/3. Prove that  $G \cong S_3$ .
- (8) (1 point) Let  $\chi$  be a character of the finite group G and assume that  $\chi(g)=0$  for every  $1\neq g\in G$ . Prove that |G| divides  $\chi(1)$ .